


Pat nt Claims

1. Cosmetic and dermatological deterative preparations comprising:

- 5 (a) an effective amount of one or more surface-active substances selected from the group consisting of alkyl glucosides, which have the structural formula



where R is a branched or unbranched alkyl radical having from 1 to 24 carbon atoms,


- 15 (b) an effective amount of one or more gel-forming acrylate-alkyl acrylate copolymers and
(c) branched and/or unbranched aliphatic alcohols having 2 - 6 carbon atoms and one or more OH functions.

2. Preparations according to Claim 1, characterized in that R in the structural formula of the alkyl glucoside is selected from the group consisting of unbranched alkyl radicals, the hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl and tetradecyl radicals being preferred.

25 3. Preparations according to Claim 1, characterized in that the total amount of one or more surface-active alkyl glucosides used according to the invention in the finished cosmetic or dermatological preparations is selected from the range 0.1 - 25.0% by weight, preferably 0.5 - 15.0% by weight, based on the total weight of the preparations.

30 4. Preparations according to Claim 1, characterized in that the acrylate-alkyl acrylate copolymer(s) are selected from the group consisting of

so-called carbomers, in particular from the group consisting of carbomers having the structure:



5

where R' is a long-chain alkyl radical, and x and y are numbers which symbolize the respective stoichiometric amount of each of the comonomers.

5. Preparations according to Claim 1, characterized in that the alcohols are selected from the group consisting of ethylene glycol, propylene glycol, glycerol, isopropyl alcohol, 1,3-butylene glycol and 2,3-butylene glycol.

6. Preparations according to Claim 1, characterized in that the total amount of one or more surface-active acrylate-alkyl acrylate copolymers used according to the invention in the finished cosmetic or dermatological preparations is selected from the range 0.1 - 10.0% by weight, preferably 0.5 - 2.5% by weight, based on the total weight of the preparations.

7. Preparations according to Claim 1, characterized in that the total amount of one or more alcohols used according to the invention in the finished cosmetic or dermatological preparations is selected from the range 0.1 - 25.0% by weight, preferably 0.5 - 15.0% by weight, based on the total weight of the preparations.

8. Preparations according to Claim 1, characterized in that they are in the form of gels.

9. Preparations according to Claim 8, characterized in that gaseous, solid and/or liquid objects are embedded in the gels.